



# 产品认证证书

## II型自愿认证

证书编号: CQC2007010304233950

第 1 页 / 共 2 页

本证书及附件应同时使用, 信息查验说明见证书页

纸号:

NC8-80/□□/□, NC8-100/□□/□, NC8-80/□□/□/□, NC8-100/□□/□/□

Uimp: 8kV;

Ui: 690V;

Ue: AC220V/230V/240V, AC380V/400V/415V, AC660V/690V;

Ith: 125A;

NC8-80/□□/□, NC8-80/□□/□/□:

AC-1: Ue/Ie: AC220V/230V/240V/125A, AC380V/400V/415V/125A, AC660V/690V/125A;

AC-3: Ue/Ie: AC220V/230V/240V/80A, AC380V/400V/415V/80A, AC660V/690V/49A;

AC-4: Ue/Ie: AC220V/230V/240V/80A, AC380V/400V/415V/80A, AC660V/690V/49A

(NC8-80, NC8-80/Z, NC8-80/4/Z, NC8-80/W);

AC-4: Ue/Ie: AC220V/230V/240V/37A, AC380V/400V/415V/37A, AC660V/690V/17.3A

(NC8-80/4, NC8-80/22, NC8-80/4/W, NC8-80/22/W);

NC8-100/□□/□, NC8-100/□□/□/□:

AC-1: Ue/Ie: AC220V/230V/240V/125A, AC380V/400V/415V/125A, AC660V/690V/125A;

AC-3: Ue/Ie: AC220V/230V/240V/100A, AC380V/400V/415V/100A, AC660V/690V/49A;

AC-4: Ue/Ie: AC220V/230V/240V/100A, AC380V/400V/415V/100A, AC660V/690V/49A;

(NC8-100, NC8-100/Z, NC8-100/4/Z, NC8-100/W);

AC-4: Ue/Ie: AC220V/230V/240V/44A, AC380V/400V/415V/44A, AC660V/690V/21.3A

(NC8-100/4, NC8-100/22, NC8-100/4/W, NC8-100/22/W);

Us:

NC8-80~100, NC8-80/4~100/4, NC8-80/22~100/22: AC: 24V, 36V, 42V, 48V, 110V, 120V, 127V,

220V, 230V, 240V, 277V, 380V, 400V, 415V, 440V, 460V, 480V, 600V,

660V; 50/60Hz, 50Hz;

NC8-80/W~100/W, NC8-80/4/W~100/4/W, NC8-80/22/W~100/22/W: AC/DC 100V-250V,

48V-130V, 24V-60V; 50/60Hz(AC), DC;

NC8-80/Z~100/Z, NC8-80/4/Z~100/4/Z: DC: 24V, 48V, 110V, 220V;

极数: 3P, 4P;

外壳防护等级:



中国质量认证中心  
CHINA QUALITY CERTIFICATION CENTRE

# 产品认证证书

## II型自愿认证

证书编号: CQC2007010304233950

第 2 页 / 共 2 页

本证书及附件应同时使用, 信息查验说明见证书页

纸号:

NC8-80~100, NC8-80/W~100/W, NC8-80/Z~100/Z, NC8-80/4/Z~100/4/Z :  
IP20(仅适用于正前侧),  
NC8-80/4~100/4, NC8-80/22~100/22, NC8-80/4/W~100/4/W, NC8-80/22/W~100/22/W: IP10;  
配用的辅助触头: (本体)  
1NO1NC;  
Ith: 10A;  
AC-15: Ue/Ie: AC220V/AC230V/2.7A, AC380V/400V/415V/1.5A;  
DC-13: Ue/Ie: DC220V/250V/0.3A;

型号解释:



注: 3P 产品辅助触头组合形式仅 1NO+1NC, 4P 产品主触头组合形式仅 4NO 和 2NO+2NC, 且不自带辅助触头。



中国质量认证中心  
CHINA QUALITY CERTIFICATION CENTRE