

# 产品认证证书

## II型自愿认证

证书编号: CQC2002010304009958

发证日期: 2023年01月11日

有效期至: 2031年06月02日

**委托人名称** 浙江正泰电器股份有限公司  
**及注册地址** 浙江省乐清市北白象镇正泰工业园区正泰路1号

**制造商名称** 浙江正泰电器股份有限公司  
**及注册地址** 浙江省乐清市北白象镇正泰工业园区正泰路1号

**生产企业名称** 浙江正泰电器股份有限公司  
**及生产地址** 浙江省乐清市北白象镇正泰智能电器工业园区长江路2号

**产品名称和系列、规格、型号** 交流接触器  
NC2-185,NC2-185Z,NC2-185/4,NC2-185Z/4,NC2-185Ns,NC2-185ZNs,NC2-185Ns/4,NC2-185ZNs/4,NC2-185N,NC2-225,NC2-225Z,NC2-225/4,NC2-225Z/4,NC2-225Ns,NC2-225ZNs,NC2-225Ns/4,NC2-225ZNs/4,NC2-225N; 详见附件

**产品标准和技术要求** GB/T 14048.4-2020

**认证模式** 产品型式试验+初次工厂检查+获证后监督

上述产品符合 CQC12-000001-2020 认证规则的要求, 特发此证。

本证书为变更证书, 证书首次颁发日期: 2020年06月19日

证书有效期内本证书的有效性依据发证机构的定期监督获得保持。

可通过扫描下方二维码或登录国家认监委网站(www.cnca.gov.cn)查验证书信息



授权签字人

签发

郑泉

谢肇煦



中国质量认证中心

# 产品认证证书

## II型自愿认证

证书编号: CQC2002010304009958

第 1 页 共 2 页

本证书及附件应同时使用, 信息查验说明见证书页

纸号:

NC2-185,NC2-185Z,NC2-185/4,NC2-185Z/4,NC2-185Ns,NC2-185ZNs,NC2-185Ns/  
4,NC2-185ZNs/4,NC2-185N,NC2-225,NC2-225Z,NC2-225/4,NC2-225Z/4,NC2-225  
Ns,NC2-225ZNs,NC2-225Ns/4,NC2-225ZNs/4,NC2-225N Ui:1000V; Uimp:8kV; Ith:275A; Ue:  
AC380V/400V, AC660V/690V;  
NC2-185,NC2-185Z,NC2-185/4,NC2-185Z/4,NC2-185Ns,NC2-185ZNs,  
NC2-185Ns/4,NC2-185ZNs/4,NC2-185N: AC-1: Ue/Ie:  
AC380V/400V/275A,AC660V/690V/275A; AC-3: Ue/Ie:  
AC380V/400V/185A,AC660V/690V/118A; AC-4: Ue/Ie:  
AC380V/400V/185A,AC660V/690V/118A;  
NC2-225,NC2-225Z,NC2-225/4,NC2-225Z/4,NC2-225Ns,NC2-225ZNs,  
NC2-225Ns/4,NC2-225ZNs/4,NC2-225N: AC-1: Ue/Ie:  
AC380V/400V/275A,AC660V/690V/275A; AC-3: Ue/Ie: AC380V/400V/225A,  
AC660V/690V/137A; AC-4: Ue/Ie: AC380V/400V/225A, AC660V/690V/137A; Us: AC:  
110V,127V,220V,380V,50Hz; 110V,127V,220V,380V,110V~127V,220V~240V,380V~  
415V,50/60Hz; DC: 48V,110V,220V;  
极数: 3P,4P;  
配用的辅助触头模块:(外置) F4: (CQC2010010305385018)  
1NO1NC,2NO,2NC,4NO,4NC,2NO2NC,1NO3NC,3NO1NC; Ith:10A;  
AC-15:Ue/Ie:AC220V/230V/2.7A,AC380V/400V/1.5A; DC-13:Ue/Ie:DC220V/0.3A

型号解释:



中国质量认证中心

# 产品认证证书


## II型自愿认证

证书编号：CQC2002010304009958

第 2 页 共 2 页

本证书及附件应同时使用，信息查验说明见证书页

纸号：



The diagram shows a contactor symbol with callouts for its various parts:

- NC 2-□□□ □/□**: The symbol itself, consisting of a vertical line on the left, a horizontal line at the top with 'NC' above it, a horizontal line below that with '2-' above it, and a horizontal line at the bottom with '□□□' above it. To the right, there is a vertical line with a horizontal line at the top and a horizontal line at the bottom, with '□/□' above the top horizontal line.
- 极数 (4 极, 不注明表示 3 极)**: Points to the '2-' part of the symbol.
- 派生代号, Z 表示直流操作, N,Ns,Nc 表示可逆接触器 (N,Ns 为水平安装; Nc 为垂直安装)**: Points to the 'NC' part of the symbol.
- (AC-3, 380V/400V 时) 额定工作电流 (A)**: Points to the '□□□' part of the symbol.
- 设计序号**: Points to the first '□' in the '□□□' part.
- 交流接触器**: Points to the vertical line on the left.
- 企业特征代号**: Points to the horizontal line at the bottom of the vertical line.



中国质量认证中心